

Technical data

Air breathers & Filler plugs

Risers for breathers and filler caps installation

SME/SMF/SML are ranges of risers for installation of the breathers and filler caps in any place on the tank. They make the maintenance operation easy and fast.

Available features:

- SME: vertical riser made of polyamide for nylon tanks, mainly used in the mobile machines
- SMF: sloping riser made of polyamide for nylon tanks, mainly used in the mobile machines
- SML: sloping riser made of aluminium for metal tanks, mainly used in the industrial equipment and heavy-duty applications

Materials SME

- Body: Nylon
- Seals: NBR
Cork gasket
- Screws: Phosphatized steel
Galvanized steel

Materials SMF

- Body: Nylon
- Seals: NBR
Cork gasket
- Screws: Phosphatized steel
Galvanized steel

Materials SML

- Body: Aluminium
- Seals: NBR
Cork gasket
- Screws: Phosphatized steel

Temperature

From -25 °C to +100 °C

Weight

- SME - 0.250 kg
- SMF - 0.325 kg
- SML - 0.380 kg



Designation & Ordering code

SME / SMF / SML

Series and size

- SME1** Polyamide vertical riser
- SMF1** Polyamide sloping riser
- SML1** Aluminium sloping riser

Configuration example: **SMF1** **M** **A** **P01**

Connections to the tank

- M** Metric screws
- U** UNC screws

Seals

- A** NBR

Execution		Series		
		SME1	SMF1	SML1
P01	MP Filtri standard		•	•
P02	Standard without logo	•		
Pxx	Customized	•	•	•

SME 1-SMF 1-SML 1

Dimensions

